

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	"3875481" "4549093"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:43
L2	535	"3,753,294" "4,266,263" "4,386,386" "4,494,409" "4,654,546" "4,836,033" "5,060,527" "5,090,248" "5,115,680" "5,173,162" "5,255,972" "5,410,210" "5,425,275" "5,755,090" "5,841,143" "5,977,685" "6,210,514" "6,282,956" "6,343,129" "6,376,971" "6,543,110" "6,545,384" "6,581,481" "6,583,533" "6,586,859" "6,628,040" "6,662,658" "6,664,718" "6,707,236" "6,768,246" "6,781,284" "6,806,621" "6,809,462" "6,812,624" "6,876,135" "6,882,086" "6,891,317" "6,911,764" "6,940,211" "7,034,432" "7,049,732" "7,064,472"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:31
L3	553	"3,753,294" "4,266,263" "4,386,386" "4,494,409" "4,654,546" "4,836,033" "5,060,527" "5,090,248" "5,115,680" "5,173,162" "5,255,972" "5,410,210" "5,425,275" "5,755,090" "5,841,143" "5,977,685" "6,210,514" "6,282,956" "6,343,129" "6,376,971" "6,543,110" "6,545,384" "6,581,481" "6,583,533" "6,586,859" "6,628,040" "6,662,658" "6,664,718" "6,707,236" "6,768,246" "6,781,284" "6,806,621" "6,809,462" "6,812,624" "6,876,135" "6,882,086" "6,891,317" "6,911,764" "6,940,211" "7,034,432" "7,049,732" "7,064,472" 10/793,401 10/066,407 10/059033 09/779373 10/161574 10/227963 10/154449 10/007705 09/779203 10/090430 10/090231	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:36
L4	415	3 and (elastomeric elastic\$4 flexible flexure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:13
L5	404	4 and (pressure force load strain stress)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:45

EAST Search History

L6	258	5 and (pair couple multiple two second plural\$4 many several additional) near3 (electrode conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:14
L7	252	6 and (sens\$4 detect\$4 transducer measur\$4 gage gauge cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:14
L8	33	7 and (row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:08
L9	15	8 and (column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:51
L10	92	"4634917" "5528452"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:48
L11	130	7 and (series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:51
L12	103	11 and (parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 11:52
L13	85	12 and (capacit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:15
L14	24	13 and (tactile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:13
L15	24	14 and (pair couple multiple two second plural\$4 many several additional) near3 (layer sheet film pad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:08

EAST Search History

L16	7	15 and (row)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:09
L17	177	3 and (tactile touch pressure).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:13
L18	156	17 and (elastomeric elastic\$4 flexible flexure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:13
L19	101	18 and (pair couple multiple two second plural\$4 many several additional) near3 (electrode conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:14
L20	101	19 and (sens\$4 detect\$4 transducer measur\$4 gage gauge cell)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:14
L21	87	20 and (row column series parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:14
L22	57	21 and (capacit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/04/17 12:15